

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((bearing near device) same (preload with sensor))	USPAT	OR	OFF	2008/08/25 11:24
S2	1	("6338576").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/25 11:26
S3	22	((bearing with device) same (preload with sensor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 11:28
S4	3	("4957412" "5421088" "5877433").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/25 11:36
S5	4	("6286374").URPN.	USPAT	OR	OFF	2008/08/25 11:38
S6	55	(bearing same (preload with sensor))	USPAT	OR	OFF	2008/08/25 11:46
S7	27	(bearing and (preload with sensor))	FPRS; EPO; JPO	OR	OFF	2008/08/25 11:56
S8	91	((preload with sensor) same (piezoelectric or (strain near guage) or film or magnetostrictive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 13:39
S9	165	474/135.ccls. and bushing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 14:11
S10	11	("4472162" "4473362" "4723934" "5234385" "5236396" "5478285" "5599245" "5620385" "5630768" "5647813" "5795257").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/25 14:16
S11	23	((preload with sensor) same magnetostrictive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 16:34
S12	2	(bearing same preload same magnetostrictive)	FPRS; EPO; JPO	OR	OFF	2008/08/25 16:38

S13	0	(sensor same preload same magnetostrictive)	FPRS; EPO; JPO	OR	OFF	2008/08/25 16:44
S14	19	(bearing same sensor same magnetostrictive)	FPRS; EPO; JPO	OR	OFF	2008/08/25 16:45
S15	0	(bearing same sensor same magnetostrictive same preload)	FPRS; EPO; JPO	OR	OFF	2008/08/25 16:52
S16	4	(bearing same sensor same magnetostrictive same preload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 16:52
S17	12	(bearing same magnetostrictive same preload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 16:53
S18	2	384/544.ccls. and (preload with sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:46
S19	4	"384"/\$.ccls. and ((preload with sensor) same wheel same flange)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:47
S20	10	"384"/\$.ccls. and ((load with sensor) same wheel same flange)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:48
S21	160	"384"/\$.ccls. and (sensor same wheel same flange)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:50
S22	7	("4938612").URPN.	USPAT	OR	OFF	2008/08/25 17:52
S23	5	("3487247" "3719841" "4783180" "4864231").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/25 17:54
S24	18	("5011302").URPN.	USPAT	OR	OFF	2008/08/25 17:54

S25	9	("4864231" "4988220" "5004980" "5011302" "5011303" "5123755" "5127747" "5129741" "5131763").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/25 17:55
S26	2	((sensor same wheel same flange) and (bearing with races) and crimp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:59
S27	16	("4150468" "4203635" "5496055" "5556210" "6212981" "6406188" "6464399" "6532666" "6585420" "6626580" "6637943" "6644861" "6729633" "6736418" "6796029" "6829825").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/25 18:00

8/26/2008 10:51:36 AM

C:\Documents and Settings\mcharles\My Documents\EAST\Workspaces\Bearing with
preloaded sensor 10589624.wsp